

# PRO MATIC<sup>®</sup>

## EP-1 1k Etch primer

### Product Description

EP-1 gives the ultimate adhesion direct onto many difficult substrates including alloy, stainless steel, zintec and galvanise leaving a super smooth non-porous finish that is suitable for any topcoat.

### Product Features

Excellent adhesion onto difficult substrates  
Smooth non-porous finish  
Good corrosive resistance  
Weld through primer  
High opacity  
Very fast drying

### Usage

For uses not regulated by the Directive 2004/42/EC



### Pre Treatment

The surface must be clean, dry and dust-free.

**Head Office**


Second Avenue, Chatham, Kent, ME4 5AU

**t:** +44 (0)1634 823900

**f:** +44 (0)1634 813807

**e:** [sales@alphacoatings.co.uk](mailto:sales@alphacoatings.co.uk)

## Product Properties



Allow 3 - 5 minutes  
between coats



Over coatable after  
15-30 minutes.



Infrared  
Compatible



Sandable with  
P400-P500

### DISCLAIMER OF LIABILITY

The information contained in this Technical Data Sheet is correct to the best of Alpha Coatings Limited trading as Capella Solutions Group's ("Capella") knowledge, however, you must satisfy yourselves that the Goods are suitable for your needs by way of your independent testing or other processes. Capella makes no warranty, representation, or guarantee regarding the information contained in the Technical Data Sheet or the suitability of its products and services for any particular purpose, nor does Capella assume liability arising out of the application or use of the Goods other than any liability which cannot be limited by law including but not limited to liability for: (a) death or personal injury caused by negligence; (b) fraud or fraudulent misrepresentation; and (c) breach of the terms implied by section 12 of the Sales of Goods Act 1979, in such circumstances Capella's total liability shall not exceed the cost of the Goods. Capella's total liability includes liability in contract, tort, negligence, breach of statutory duty, or otherwise. It is the Customer's responsibility to ensure that the guidance on the Technical Data Sheet is followed.